


DRAWING ISSUE RECORD		
DATE	REVISION	NO.
02/04/20	SENT TO GUINNETT CO.	1
	ISSUE TO BID	



NOTE: CLG. GRID MAINS & CROSS MEMBERS SHALL NOT BE ATTACHED TO WALL EDGE TRIM, I.E. NO SCREWS, POP RIVETS OR MECHANICAL TABS. CEILING GRID SHALL COMPLY WITH THE REQUIREMENTS OF CISCA (CEILING AND INTERIOR SYSTEMS CONSTRUCTION ASSOCIATION), IBC SECTION 1613.1 & ASCE/SEI 7-05 SECTION 13.5.6. THIS NOTE APPLIES AT DETAILS 2/A2 AND 3/A2 - TYPICAL.

CONTRACTOR NOTE:
COORDINATE FOOD SERVICE CABINET AND ELECTRICAL FOR ACCESS INTO CABINET WITH POWER SERVICE IS USUALLY PROVIDED IN LOW WALL AND ELECTRICAL BROUGHT INTO CABINET AND RUN TO CONNECTION POINTS.



cunningham forehand moore

KITCHEN / CAFETERIA RENOVATIONS TO:
SOUTH GUINETTE HIGH SCHOOL
2288 EAST MAIN STREET SNELLVILLE, GEORGIA 30078-3333
FOR
GUINNETT COUNTY BOARD OF EDUCATION
GUINNETT COUNTY, GEORGIA

DATE: JAN 17, 2020
JOB NO.: SHL-D01-20
DWG. BY: TJM
CHK. BY: JGR

30324 - phone (404) 873-2152
cunningham, forehand, matthews & moore, architects, inc. - 2011 manchester street, n.e. - atlanta, georgia

A2